

10670105 HydroformylationEthyUnsatCmp 407578-79-4

=> s 407578-79-4/rn
L7 1 407578-79-4/RN

=> fil hcap

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.45

72.51

FILE 'HCAPLUS' ENTERED AT 14:34:29 ON 19 FEB 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 19 Feb 2007 VOL 146 ISS 9

FILE LAST UPDATED: 18 Feb 2007 (20070218/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 17
L8 3 L7

=> d ibib abs 18 1-3

L8 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:141010 HCAPLUS

DOCUMENT NUMBER: 142:221614

TITLE: Carbonylation of conjugated dienes using palladium-phosphine complex catalysts with improved stability

INVENTOR(S): Sielcken, Otto Erik; Baur, Henricus Anna Christiaan; Toth, Imre

PATENT ASSIGNEE(S): DSM IP Assets B. V., Neth.

SOURCE: PCT Int. Appl., 37 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005014520	A1	20050217	WO 2004-EP7059	20040628
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,				

GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
 RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

EP 1656336 A1 20060517 EP 2004-740443 20040628
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK

CN 1829679 A 20060906 CN 2004-80021621 20040628
 PRIORITY APPLN. INFO.: EP 2003-77340 A 20030725 X
 WO 2004-EP7059 W 20040628

OTHER SOURCE(S): CASREACT 142:221614; MARPAT 142:221614

AB A process for carbonylation of a conjugated diene is carried out by reacting the conjugated diene with carbon monoxide and a hydroxyl group-containing compound in the presence of a palladium catalyst system in a reaction zone to produce a reaction mixture, the catalyst system comprising (a) a source of palladium cations, (b) a mono-, bi- or multidentate phosphine ligand, containing at least one phosphorus atom directly bound to two or three aliphatic carbon atoms, as a process ligand to produce a palladium-phosphine ligand complex catalyst, and (c) a source of anions selected from carboxylic acid and halide ions. The process ligand (b) contains a moiety of the formula $X-P(A1)(A2)$, where A1 and A2 each represent an aliphatic carbon atom which may be connected to one or more aliphatic or aromatic carbon atoms or both A1 and A2 may be a part of at least 5-membered ring including the phosphorus atom, and X represents an aliphatic or aromatic carbon atom which may be connected to one or more aliphatic or aromatic

carbon atoms or X is a part of an organic bridging group connecting another identically or differently substituted phosphorus atom, the process ligand being fed continuously or periodically to the process as a ligand make-up at a temperature $\leq 50^\circ$. The catalysts have improved stability to degradation during the reaction and can be efficiently regenerated and in-process recycled. Thus, a homogeneous catalyst was prepared by dissolving under nitrogen palladium acetate (370 mg), 2,3-bis(9-phosphabicyclononyl)butane (589 mg) and pivalic acid (1.96 g) in freshly distilled Me pentenoates (98.9 g), and adding 21.6 μ L of a 57%-aqueous hydrogen iodide. The catalyst showed selectivity of 87% after 86 h of use in a continuous carbonylation of butadiene into Me pentenoates carried out at 135° with parallel feeding of carbon monoxide, butadiene, the catalyst solution, and methanol, addnl. methanol solns. of 2,3-bis(9-phosphabicyclononyl)butane (166 mg/L) and pivalic acid (35 g/L) being fed into the catalyst feed line at room temperature

REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:287803 HCAPLUS

DOCUMENT NUMBER: 140:310272

TITLE: Process for the hydroformylation of an ethylenically unsaturated compound

INVENTOR(S): Drent, Eit; Van Ginkel, Roelof; Jager, Willem Wabe

PATENT ASSIGNEE(S): Shell Internationale Research Maatschappij B.V., Neth.

SOURCE: PCT Int. Appl., 28 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004028689	A2	20040408	WO 2003-EP50654	20030924
WO 2004028689	A3	20040729		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
CA 2500095	A1	20040408	CA 2003-2500095	20030924
AU 2003299066	A1	20040419	AU 2003-299066	20030924
US 2004167362	A1	20040826	US 2003-670105	20030924
EP 1542798	A2	20050622	EP 2003-798198	20030924
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
CN 1684769	A	20051019	CN 2003-823006	20030924
JP 2006500415	T	20060105	JP 2004-539074	20030924
ZA 2005002080	A	20050912	ZA 2005-2080	20050311
PRIORITY APPLN. INFO.:			EP 2002-256696	A 20020926
			WO 2003-EP50654	W 20030924

OTHER SOURCE(S): MARPAT 140:310272

AB The present invention relates to a process for the hydroformylation of an optionally substituted ethylenically unsatd. compound by reaction thereof with carbon monoxide and hydrogen in the presence of a specific catalyst system. The specific catalyst system comprises (A) a source of group VIII metal cations, (B) a diphosphine ligand having the general formula X_1RX_2 , (C) an acid with $pK_a < 3$, measured in an aqueous solution at 18° or a salt derived thereof, and (D) a source of halide anions, wherein X_1 , X_2 = independently an optionally substituted cyclic group with ≥ 5 ring atoms, of which one is a phosphorus atom, and R = a bivalent optionally substituted bridging group, connected to each phosphorus atom by a sp^2 hybridized carbon atom. Furthermore some specific bidentate diphosphines used in this process are described. Thus, 1,2-dibromobenzene 9.44, 1,4-diazabicyclo[2,2,2]octane 22.4, 9-phosphabicyclo[3.3.1]nonane 13.0, and tetrakis(triphenylphosphine)palladium 2.32 g were heated at 140° to give 7.10 g (yield 50%) 1,2-bis(9-phosphabicyclo[3.3.1]nonyl)benzene, 0.40 mmol of which was mixed with methane sulfonic acid 1.0, hydrochloric acid 0.20, and palladium acetate 0.25 mmol, and 20 mL 1-octene and heated at 120° for 5 h under 20 bar carbon monoxide and 40 bar hydrogen to give an alkanol product >99, a linear alkanol product 68, and a hydrogenation product <1%.

L8 ANSWER 3 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2002:256216 HCAPLUS

DOCUMENT NUMBER: 136:296537

TITLE: Process and palladium-diphosphine catalyst system for the carbonylation of conjugated dienes

INVENTOR(S): Drent, Eit; Jager, Willem Wabe; Sielcken, Otto Erik; Toth, Imre

PATENT ASSIGNEE(S): DSM N.V., Neth.

SOURCE: PCT Int. Appl., 28 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002026690	A1	20020404	WO 2001-NL709	20010926
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2002011067	A5	20020408	AU 2002-11067	20010926
EP 1332124	A1	20030806	EP 2001-979078	20010926
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
US 2004039226	A1	20040226	US 2003-381040	20030825
US 6835850	B2	20041228		
PRIORITY APPLN. INFO.:			EP 2000-203355	A 20000927
			EP 2000-203356	A 20000927
			EP 2000-2000203355	A 20000927
			EP 2000-2000203356	A 20000927
			WO 2001-NL709	W 20010926

OTHER SOURCE(S): MARPAT 136:296537

AB Conjugated dienes (e.g., 1,3-butadiene) are readily subjected to carbonylation to produce unsatd. esters (e.g., Me 3-pentenoate which is an adipate ester precursor) by reacting the conjugated diene with carbon monoxide and an hydroxyl group-containing compound (e.g., methanol) in the presence of a catalyst system based on: (a) a source of palladium cations (e.g., palladium acetate); (b) a diphosphine ligand X1RX2 (X1, X2 = cyclic group with at least 5 ring atoms of which one is a phosphorus atom; R = bivalent aliphatic bridging group, connecting both phosphorus atoms containing from 2 to 4 atoms in the bridge which is substituted with at least one substituent, Ph group with both phosphorus groups bound to the 1,2-position); and (c) a source of anions (e.g., pivalic acid).

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> dis his

(FILE 'HOME' ENTERED AT 14:28:12 ON 19 FEB 2007)

FILE 'HCAPLUS' ENTERED AT 14:28:22 ON 19 FEB 2007

E US20040167362/PN,PRN,AN

L1 1 S E3

FILE 'REGISTRY' ENTERED AT 14:29:00 ON 19 FEB 2007

L2 0 S L1

FILE 'HCAPLUS' ENTERED AT 14:29:41 ON 19 FEB 2007

E US20040167362/PN,PRN,AN

10670105 HydroformylationEthyUnsatCmp 407578-79-4

L3 1 S E3

FILE 'REGISTRY' ENTERED AT 14:31:23 ON 19 FEB 2007

L4 0 S E1-E12

L5 1 S 676992-18-0/RN

FILE 'HCAPLUS' ENTERED AT 14:33:07 ON 19 FEB 2007

L6 1 S L5

FILE 'REGISTRY' ENTERED AT 14:34:18 ON 19 FEB 2007

L7 1 S 407578-79-4/RN

FILE 'HCAPLUS' ENTERED AT 14:34:29 ON 19 FEB 2007

L8 3 S L7

=> s 676992-15-7/rn
L9 1 676992-15-7/RN

=> file hcap

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.45

99.65

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-2.34

FILE 'HCAPLUS' ENTERED AT 14:38:42 ON 19 FEB 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 19 Feb 2007 VOL 146 ISS 9
FILE LAST UPDATED: 18 Feb 2007 (20070218/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l9
L10 2 L9

=> d ibib abs l10 1-2

L10 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:473316 HCAPLUS

DOCUMENT NUMBER: 145:145808

TITLE: Highly Selective Halide Anion-Promoted
Palladium-Catalyzed Hydroformylation of Internal
Alkenes to Linear Alcohols

AUTHOR(S): Konya, Denes; Lenero, Karina Q. Almeida; Drent, Eite

CORPORATE SOURCE: Shell Global Solutions, Amsterdam, 1030BN, Neth.

SOURCE: Organometallics (2006), 25(13), 3166-3174

CODEN: ORGND7; ISSN: 0276-7333

PUBLISHER: American Chemical Society

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 145:145808

AB The authors report on their study of the Pd-catalyzed hydroformylation of alkenes. A (bcope)Pd(OTf)₂ complex [bcope = 1,2-bis[(cyclooctyl)phosphino]ethane] with sub-stoichiometrically added halide

anions is a highly efficient homogeneous catalyst (precursor) to selectively convert internal linear alkenes into predominantly linear (detergent) alcs. under mild conditions. Halide anion-dependent effects on the hydroformylation reaction rate as well as its chemo- and regioselectivity are observed. Thus, the rate of hydroformylation of thermally equilibrated internal higher alkenes increases by a factor of .apprx.6-7 with chloride/bromide and about a factor 3-4 with iodide, while the selectivity toward alcs. increases to almost 100% upon addition of a substoichiometric quantity (with respect to Pd) of the halide anion source. Curiously, the regioselectivity toward linear alc. increases in the reverse order, i.e., iodide > bromide > chloride. From a detailed anal. of the products obtained with model substrates, hydrogenolysis of (bcope)palladium-acyl intermediates is strongly accelerated by the presence of halide anions. From a comparison of the catalytic performance with some related L2Pd(OTf)2 complexes, in which L2 are bidentate phosphines closely related to bcope, it also appears that the ligand plays a critical role in the promoting effect of halide anions.

REFERENCE COUNT: 26 THERE ARE 26 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:287803 HCAPLUS

DOCUMENT NUMBER: 140:310272

TITLE: Process for the hydroformylation of an ethylenically unsaturated compound

INVENTOR(S): Drent, Eit; Van Ginkel, Roelof; Jager, Willem Wabe

PATENT ASSIGNEE(S): Shell Internationale Research Maatschappij B.V., Neth.

SOURCE: PCT Int. Appl., 28 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004028689	A2	20040408	WO 2003-EP50654	20030924
WO 2004028689	A3	20040729		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
CA 2500095	A1	20040408	CA 2003-2500095	20030924
AU 2003299066	A1	20040419	AU 2003-299066	20030924
US 2004167362	A1	20040826	US 2003-670105	20030924
EP 1542798	A2	20050622	EP 2003-798198	20030924
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
CN 1684769	A	20051019	CN 2003-823006	20030924
JP 2006500415	T	20060105	JP 2004-539074	20030924
ZA 2005002080	A	20050912	ZA 2005-2080	20050311
PRIORITY APPLN. INFO.:			EP 2002-256696	A 20020926
			WO 2003-EP50654	W 20030924

*Int
app*

OTHER SOURCE(S): MARPAT 140:310272

AB The present invention relates to a process for the hydroformylation of an optionally substituted ethylenically unsatd. compound by reaction thereof with carbon monoxide and hydrogen in the presence of a specific catalyst system. The specific catalyst system comprises (A) a source of group VIII metal cations, (B) a diphosphine ligand having the general formula X_1RX_2 , (C) an acid with $pK_a < 3$, measured in an aqueous solution at 18° or a salt derived thereof, and (D) a source of halide anions, wherein X_1 , X_2 = independently an optionally substituted cyclic group with ≥ 5 ring atoms, of which one is a phosphorus atom, and R = a bivalent optionally substituted bridging group, connected to each phosphorus atom by a sp^2 hybridized carbon atom. Furthermore some specific bidentate diphosphines used in this process are described. Thus, 1,2-dibromobenzene 9.44, 1,4-diazabicyclo[2,2,2]octane 22.4, 9-phosphabicyclo[3.3.1]nonane 13.0, and tetrakis(triphenylphosphine)palladium 2.32 g were heated at 140° to give 7.10 g (yield 50%) 1,2-bis(9-phosphabicyclo[3.3.1]nonyl)benzene, 0.40 mmol of which was mixed with methane sulfonic acid 1.0, hydrochloric acid 0.20, and palladium acetate 0.25 mmol, and 20 mL 1-octene and heated at 120° for 5 h under 20 bar carbon monoxide and 40 bar hydrogen to give an alkanol product >99, a linear alkanol product 68, and a hydrogenation product <1%.

=> d his

(FILE 'HOME' ENTERED AT 14:28:12 ON 19 FEB 2007)

FILE 'HCAPLUS' ENTERED AT 14:28:22 ON 19 FEB 2007

E US20040167362/PN,PRN,AN

L1 1 S E3

FILE 'REGISTRY' ENTERED AT 14:29:00 ON 19 FEB 2007

L2 0 S L1

FILE 'HCAPLUS' ENTERED AT 14:29:41 ON 19 FEB 2007

E US20040167362/PN,PRN,AN

L3 1 S E3

FILE 'REGISTRY' ENTERED AT 14:31:23 ON 19 FEB 2007

L4 0 S E1-E12

L5 1 S 676992-18-0/RN

FILE 'HCAPLUS' ENTERED AT 14:33:07 ON 19 FEB 2007

L6 1 S L5

FILE 'REGISTRY' ENTERED AT 14:34:18 ON 19 FEB 2007

L7 1 S 407578-79-4/RN

FILE 'HCAPLUS' ENTERED AT 14:34:29 ON 19 FEB 2007

L8 3 S L7

FILE 'REGISTRY' ENTERED AT 14:38:30 ON 19 FEB 2007

L9 1 S 676992-15-7/RN

FILE 'HCAPLUS' ENTERED AT 14:38:42 ON 19 FEB 2007

L10 2 S L9

=> s 676992-16-8/rn
L11 1 676992-16-8/RN

=> fil hcap

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.45

116.16

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-3.90

FILE 'HCAPLUS' ENTERED AT 14:41:16 ON 19 FEB 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 19 Feb 2007 VOL 146 ISS 9

FILE LAST UPDATED: 18 Feb 2007 (20070218/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l11
L12 1 L11

=> d scan

L12 1 ANSWERS HCAPLUS COPYRIGHT 2007 ACS on STN

IC ICM B01J031-24

ICS B01J027-08; B01J031-02; C07F009-6568; C07F015-00; C07C045-50

CC 67-1 (Catalysis, Reaction Kinetics, and Inorganic Reaction Mechanisms)
Section cross-reference(s): 23

TI Process for the hydroformylation of an ethylenically unsaturated compound
ST process hydroformylation ethylenically unsatd compd;
bisphosphabicyclononylbenzene ligand palladium acetate catalyst octene
hydroformylation

IT Alkenes, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

(C11-12; hydroformylation of ethylenically unsatd. compds.)

IT Ligands

RL: CAT (Catalyst use); USES (Uses)

(bidentate, diphosphines, hydroformylation catalyst ligand;
hydroformylation of ethylenically unsatd. compds.)

IT Hydroformylation

(hydroformylation of ethylenically unsatd. compds.)
 IT Group VIII elements
 RL: CAT (Catalyst use); USES (Uses)
 (hydroformylation of ethylenically unsatd. compds.)
 IT Catalysts
 (hydroformylation; hydroformylation of ethylenically unsatd. compds.)
 IT 676992-18-0 676992-19-1
 RL: CAT (Catalyst use); USES (Uses)
 (hydroformylation catalyst ligand; hydroformylation of ethylenically unsatd. compds.)
 IT 407578-79-4P, 9-Phosphabicyclo[3.3.1]nonane, 9,9'-(1,2-phenylene)bis-
 676992-15-7P 676992-16-8P
 RL: CAT (Catalyst use); IMF (Industrial manufacture); PREP (Preparation);
 USES (Uses)
 (hydroformylation catalyst ligand; hydroformylation of ethylenically unsatd. compds.)
 IT 3375-31-3
 RL: CAT (Catalyst use); USES (Uses)
 (hydroformylation of ethylenically unsatd. compds.)
 IT 4547-43-7P, Hexanoic acid, 6-hydroxy-, methyl ester 167707-57-5P,
 Pentanoic acid, 5-hydroxy-4-methyl-, methyl ester 676992-17-9P
 RL: IMF (Industrial manufacture); PREP (Preparation)
 (hydroformylation of ethylenically unsatd. compds.)
 IT 111-66-0, 1-Octene 630-08-0, Carbon monoxide, reactions 818-59-7
 1333-74-0, Hydrogen, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (hydroformylation of ethylenically unsatd. compds.)
 IT 583-53-9, 1,2-Dibromobenzene 3141-26-2, 3,4-Dibromothiophene
 13887-02-0, 9-Phosphabicyclo[3.3.1]nonane 75415-78-0,
 1,2-Dibromocyclopentene
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reactant in hydroformylation catalyst ligand preparation; hydroformylation of ethylenically unsatd. compds.)

ALL ANSWERS HAVE BEEN SCANNED

=> dis his

(FILE 'HOME' ENTERED AT 14:28:12 ON 19 FEB 2007)

FILE 'HCAPLUS' ENTERED AT 14:28:22 ON 19 FEB 2007

E US20040167362/PN,PRN,AN

L1 1 S E3

FILE 'REGISTRY' ENTERED AT 14:29:00 ON 19 FEB 2007

L2 0 S L1

FILE 'HCAPLUS' ENTERED AT 14:29:41 ON 19 FEB 2007

E US20040167362/PN,PRN,AN

L3 1 S E3

FILE 'REGISTRY' ENTERED AT 14:31:23 ON 19 FEB 2007

L4 0 S E1-E12

L5 1 S 676992-18-0/RN

FILE 'HCAPLUS' ENTERED AT 14:33:07 ON 19 FEB 2007

L6 1 S L5

10670105 HydroformylationEthyUnsatCmp 676992-16-8

L7 FILE 'REGISTRY' ENTERED AT 14:34:18 ON 19 FEB 2007
1 S 407578-79-4/RN

L8 FILE 'HCAPLUS' ENTERED AT 14:34:29 ON 19 FEB 2007
3 S L7

L9 FILE 'REGISTRY' ENTERED AT 14:38:30 ON 19 FEB 2007
1 S 676992-15-7/RN

L10 FILE 'HCAPLUS' ENTERED AT 14:38:42 ON 19 FEB 2007
2 S L9

L11 FILE 'REGISTRY' ENTERED AT 14:41:02 ON 19 FEB 2007
1 S 676992-16-8/RN

L12 FILE 'HCAPLUS' ENTERED AT 14:41:16 ON 19 FEB 2007
1 S L11

=>

10670105 HydroformylationEthyUnsatCmp 676992-19-1

=> s 676992-19-1/rn
L13 1 676992-19-1/RN

=> fil hcap		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.45	124.41
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-3.90

FILE 'HCAPLUS' ENTERED AT 14:43:03 ON 19 FEB 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 19 Feb 2007 VOL 146 ISS 9
FILE LAST UPDATED: 18 Feb 2007 (20070218/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l13
L14 1 L13

=> d ibib abs l14 1

L14 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2004:287803 HCAPLUS
DOCUMENT NUMBER: 140:310272
TITLE: Process for the hydroformylation of an ethylenically unsaturated compound *Drent App*
INVENTOR(S): Drent, Eit; Van Ginkel, Roelof; Jager, Willem Wabe
PATENT ASSIGNEE(S): Shell Internationale Research Maatschappij B.V., Neth.
SOURCE: PCT Int. Appl., 28 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004028689	A2	20040408	WO 2003-EP50654	20030924

WO 2004028689 A3 20040729
 W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
 RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
 CA 2500095 A1 20040408 CA 2003-2500095 20030924
 AU 2003299066 A1 20040419 AU 2003-299066 20030924
 US 2004167362 A1 20040826 US 2003-670105 20030924
 EP 1542798 A2 20050622 EP 2003-798198 20030924
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
 CN 1684769 A 20051019 CN 2003-823006 20030924
 JP 2006500415 T 20060105 JP 2004-539074 20030924
 ZA 2005002080 A 20050912 ZA 2005-2080 20050311
 PRIORITY APPLN. INFO.: EP 2002-256696 A 20020926
 WO 2003-EP50654 W 20030924

OTHER SOURCE(S): MARPAT 140:310272

AB The present invention relates to a process for the hydroformylation of an optionally substituted ethylenically unsatd. compound by reaction thereof with carbon monoxide and hydrogen in the presence of a specific catalyst system. The specific catalyst system comprises (A) a source of group VIII metal cations, (B) a diphosphine ligand having the general formula X_1RX_2 , (C) an acid with $pK_a < 3$, measured in an aqueous solution at 18° or a salt derived thereof, and (D) a source of halide anions, wherein X_1 , X_2 = independently an optionally substituted cyclic group with ≥ 5 ring atoms, of which one is a phosphorus atom, and R = a bivalent optionally substituted bridging group, connected to each phosphorus atom by a sp^2 hybridized carbon atom. Furthermore some specific bidentate diphosphines used in this process are described. Thus, 1,2-dibromobenzene 9.44, 1,4-diazabicyclo[2,2,2]octane 22.4, 9-phosphabicyclo[3.3.1]nonane 13.0, and tetrakis(triphenylphosphine)palladium 2.32 g were heated at 140° to give 7.10 g (yield 50%) 1,2-bis(9-phosphabicyclo[3.3.1]nonyl)benzene, 0.40 mmol of which was mixed with methane sulfonic acid 1.0, hydrochloric acid 0.20, and palladium acetate 0.25 mmol, and 20 mL 1-octene and heated at 120° for 5 h under 20 bar carbon monoxide and 40 bar hydrogen to give an alkanol product >99, a linear alkanol product 68, and a hydrogenation product <1%.

=> d his

(FILE 'HOME' ENTERED AT 14:28:12 ON 19 FEB 2007)

FILE 'HCAPLUS' ENTERED AT 14:28:22 ON 19 FEB 2007
 E US20040167362/PN,PRN,AN

L1 1 S E3

FILE 'REGISTRY' ENTERED AT 14:29:00 ON 19 FEB 2007

L2 0 S L1

FILE 'HCAPLUS' ENTERED AT 14:29:41 ON 19 FEB 2007

L3 E US20040167362/PN,PRN,AN
 1 S E3

L4 FILE 'REGISTRY' ENTERED AT 14:31:23 ON 19 FEB 2007
0 S E1-E12
L5 1 S 676992-18-0/RN

L6 FILE 'HCAPLUS' ENTERED AT 14:33:07 ON 19 FEB 2007
1 S L5

L7 FILE 'REGISTRY' ENTERED AT 14:34:18 ON 19 FEB 2007
1 S 407578-79-4/RN

L8 FILE 'HCAPLUS' ENTERED AT 14:34:29 ON 19 FEB 2007
3 S L7

L9 FILE 'REGISTRY' ENTERED AT 14:38:30 ON 19 FEB 2007
1 S 676992-15-7/RN

L10 FILE 'HCAPLUS' ENTERED AT 14:38:42 ON 19 FEB 2007
2 S L9

L11 FILE 'REGISTRY' ENTERED AT 14:41:02 ON 19 FEB 2007
1 S 676992-16-8/RN

L12 FILE 'HCAPLUS' ENTERED AT 14:41:16 ON 19 FEB 2007
1 S L11

L13 FILE 'REGISTRY' ENTERED AT 14:42:48 ON 19 FEB 2007
1 S 676992-19-1/RN

L14 FILE 'HCAPLUS' ENTERED AT 14:43:03 ON 19 FEB 2007
1 S L13

=>

10670105 HydroformylationEthyUnsatCmp claim 11

=> d his

(FILE 'HOME' ENTERED AT 14:28:12 ON 19 FEB 2007)

FILE 'HCAPLUS' ENTERED AT 14:28:22 ON 19 FEB 2007
E US20040167362/PN,PRN,AN

L1 1 S E3

FILE 'REGISTRY' ENTERED AT 14:29:00 ON 19 FEB 2007

L2 0 S L1

FILE 'HCAPLUS' ENTERED AT 14:29:41 ON 19 FEB 2007
E US20040167362/PN,PRN,AN

L3 1 S E3

FILE 'REGISTRY' ENTERED AT 14:31:23 ON 19 FEB 2007

L4 0 S E1-E12

L5 1 S 676992-18-0/RN

FILE 'HCAPLUS' ENTERED AT 14:33:07 ON 19 FEB 2007

L6 1 S L5

FILE 'REGISTRY' ENTERED AT 14:34:18 ON 19 FEB 2007

L7 1 S 407578-79-4/RN

FILE 'HCAPLUS' ENTERED AT 14:34:29 ON 19 FEB 2007

L8 3 S L7

FILE 'REGISTRY' ENTERED AT 14:38:30 ON 19 FEB 2007

L9 1 S 676992-15-7/RN

FILE 'HCAPLUS' ENTERED AT 14:38:42 ON 19 FEB 2007

L10 2 S L9

FILE 'REGISTRY' ENTERED AT 14:41:02 ON 19 FEB 2007

L11 1 S 676992-16-8/RN

FILE 'HCAPLUS' ENTERED AT 14:41:16 ON 19 FEB 2007

L12 1 S L11

FILE 'REGISTRY' ENTERED AT 14:42:48 ON 19 FEB 2007

L13 1 S 676992-19-1/RN

FILE 'HCAPLUS' ENTERED AT 14:43:03 ON 19 FEB 2007

L14 1 S L13

FILE 'HCAPLUS' ENTERED AT 14:44:18 ON 19 FEB 2007

S "1,2-P,P'BIS(9-PHOSPHABICYCLONONYL) BENZENE"/CN

FILE 'REGISTRY' ENTERED AT 14:45:03 ON 19 FEB 2007

L15 0 S "1,2-P,P'BIS(9-PHOSPHABICYCLONONYL) BENZENE"/CN

FILE 'HCAPLUS' ENTERED AT 14:45:04 ON 19 FEB 2007

L16 0 S L15

S "BENZENE 1,2-P,P'BIS(9-PHOSPHABICYCLONONYL)/CN

FILE 'REGISTRY' ENTERED AT 14:45:32 ON 19 FEB 2007

L17 0 S "BENZENE 1,2-P,P'BIS(9-PHOSPHABICYCLONONYL)/CN

10670105 HydroformylationEthyUnsatCmp claim 11

FILE 'HCAPLUS' ENTERED AT 14:45:39 ON 19 FEB 2007

L18 0 S L17

L19 0 S "BENZENE, 1,2-P,P'BIS(9-PHOSPHABICYCLONONYL"
S "BENZENE, 1,2-P,P'BIS(9-PHOSPHABICYCLONONYL)/CN

FILE 'REGISTRY' ENTERED AT 14:46:34 ON 19 FEB 2007

L20 0 S "BENZENE, 1,2-P,P'BIS(9-PHOSPHABICYCLONONYL)/CN

FILE 'HCAPLUS' ENTERED AT 14:46:34 ON 19 FEB 2007

L21 0 S L20

L22 0 S "THIOPHENE, 3,4-P,P'BIS(9-PHOSPHABICYCLONONYL"
S "THIOPHENE, 3,4-P,P'BIS(9-PHOSPHABICYCLONONYL)/CN

FILE 'REGISTRY' ENTERED AT 14:47:41 ON 19 FEB 2007

L23 0 S "THIOPHENE, 3,4-P,P'BIS(9-PHOSPHABICYCLONONYL)/CN

FILE 'HCAPLUS' ENTERED AT 14:47:41 ON 19 FEB 2007

L24 0 S L23